

December 2024

B.Tech. (IT/CSE/CE/CE (Hindi)/AI&ML)

(Third Semester)

Mathematics-III (Calculus and Ordinary

Differential Equations) (BSC-301)

Time : 3 Hours]

[Maximum Marks : 75

Note : It is compulsory to answer all the questions (1.5 marks each) of Part A in short. Answer any *four* questions from Part B in detail. Different sub-parts of a question are to be attempted adjacent to each other.

Part A

1. (a) Find the upper and lower limits of the

sequence $\left\{1, 2, \frac{1}{2}, 3, \frac{1}{3}, 4, \frac{1}{4}, 5, \frac{1}{5}, \dots\right\}$. 1.5

(b) Define alternating series with an example.

1.5

(c) Test the convergence of the series :

$$\frac{5}{1.2.4} + \frac{7}{2.3.5} + \frac{9}{3.4.6} + \frac{11}{4.5.7} + \dots \quad 1.5$$

(d) Evaluate $\lim_{x \rightarrow 0} \frac{1 - \cos x}{\sin^2 x}$. 1.5

(e) Find $f_x(x, y)$ and $f_y(x, y)$ when $f(x, y) = x \sin xy$. 1.5

(f) If $\phi = 3x^2z - y^2z^3 + 4x^3y + 2x - 3y - 5$, then find $\nabla^2\phi$. 1.5

(g) Evaluate the triple integral

$$\int_{y=0}^1 \int_{z=0}^{1-y} \int_{x=0}^2 dx \, dz \, dy. \quad 1.5$$

(h) State the order and degree of the following differential equation : 1.5

$$\frac{d^2y}{dx^2} = \left\{ 1 + \left(\frac{dy}{dx} \right)^3 \right\}^{5/2}.$$

(i) Form the differential equation by eliminating the arbitrary constant k from : 1.5

$$y = kx + k - k^3.$$

(j) Find the Complementary Function (C.F.) for the following differential equation

$$\frac{d^2y}{dx^2} + a^2y = \tan ax. \quad 1.5$$

Part B

2. (a) Show that the sequence $\left\{ \frac{n}{n^2 + n - 1} \right\}$ is decreasing and convergent. 7

- (b) Find the Taylor's series expansion of $f(x) = \sin^2 x - x^2 e^{-x}$ about $x = 0$, up to the term containing x^4 . 8

3. (a) Find the limit and test for continuity of the function : 7

$$f(x, y) = \begin{cases} \frac{x^3 - y^3}{x + y}, & x + y \neq 0 \\ 0, & x + y = 0 \end{cases}$$

- (b) Find the equations of the tangent plane and normal line to the surface $x^2 - 4y^2 + 3z^2 + 4 = 0$ at the point $(3, 2, 1)$. 8

4. (a) Evaluate

$$\int_0^a \int_0^{\sqrt{a^2 - y^2}} (x^2 + y^2) dx dy$$

by changing into polar coordinates. 7

- (b) Using Green's theorem, evaluate $\int_C e^{-x}(\sin y \, dx + \cos y \, dy)$, C being the rectangle with vertices $(0, 0)$, $(\pi, 0)$, $\left(\pi, \frac{\pi}{2}\right)$ and $\left(0, \frac{\pi}{2}\right)$. 8

5. (a) Solve the differential equation

$$\frac{dy}{dx} = \frac{y \sin 2x}{y^2 + \cos^2 x}. \quad 7$$

- (b) Solve $p^2 y + 2px = y$, where $p = \frac{dy}{dx}$. 8

- ~~6.~~ (a) Solve the following differential equation :

$$(x^2 D^2 - xD + 1)y = \left(\frac{\log x}{x}\right)^2. \quad 7$$

- (b) Solve $x^2 \frac{d^2 y}{dx^2} + x \frac{dy}{dx} - y = x^2 \log x$ by the method of variation of parameters. 8

~~7.~~ (a) Find the value of $J_{-\frac{1}{2}}(x)$, where $J_n(x)$ is

Bessel's function of first kind of order n . 7

(b) Express the polynomial $x^3 + 2x^2 - x - 3$ in terms of Legendre polynomials. 8